

DESIGN
NEW
VISION

WWW.LIYUPRINTER.COM



Liyu International Factory
No.33,TianZhi Road,High and New tech.Development
Area Hefei Anhui China 230088
www.liyuprinter.com sales@liyuprinter.com
+90 532 5027522

Liyu International Europe Showroom:
11. Sk. No:67 Ferhat Pasa Mahallesi
34779 Dudullu/Atasehir/Istanbul
europe@liyuprinter.com
"All technical details in this catalog are subject to change by Liyu"





PCT-TEX
Printer



DESIGN
NEW
VISION

PLATINUM SERIES



Technical Specifications

Printing Heads	KM 1024i
Printhead Quantity	4 - 6 - 8 - 12
Drop Volume	13 Pl.
Color Scale	CMYK Lc Lm
INK Type	Sublimation /Reactive / Pigment
Drying System	Halogen Heather & Fan
Standart	Fixation Unit 3200 mm
Print Width	3200 mm
Print Resolution	2880 dpi
Printing Speed Up to	150 m ² /h
RIP Software	Photo Print - ErgoSoft (Opt.)
Hardware	-
Power Requirement	230v (+/-) 10% / 32A / 50HZ
Machine Size Fixation Unit	1 100 mm x 5200 mm x 2000mm
Machine Size	1 150 mm x 5400 mm x 1650mm
Machine Weight	2000 kg.